

Vision

To excel as a trusted, socially responsible and customer driven organisation providing maximum value to all stakeholders.

Mission

To manufacture quality products at competitive cost through technology and teamwork.

Values

Ethical practices

Customer focus

Commitment to society, safety and environment

Professional and transparent management

Empowerment and accountability

Adaptability to “change”

Innovation and creativity

Emphasis on human resources development, cost reduction, productivity enhancement and resource conservation.



Seshasayee Paper and Boards Limited

*Fine Papers
Lasting Impressions®*

Seshasayee Paper - Unit : Erode



Impressions in the sands of time

- Manufacturing fine papers since 1962.
- Located in Tamilnadu, South India with Current Capacity 1,25,000 tpa.
- Flagship Company of the ESVIN Group with presence in Sugar, Battery, Engineering & Project Consultancy and Bio-Technology.
- ISO 9001, ISO 14001 , OHSAS 18001 & FSC ® (FSC-C084458) (Forest Stewardship Council®) Certified.
- Awarded “GOLD” under Green Company Rating System.
- Certified to manufacture and selling FSC Mix products with many products also graded as 3-Star under PREPS (Publishers’ Database for Responsible Environmental Paper Sourcing)
- Energy Efficient Pulping Technology - Rapid Displacement Heating (RDH).
- Environment Friendly Oxygen Delignification and Elemental Chlorine Free (ECF). Bleaching facility for improved pulp strength and reduced effluent levels.
- Efficient and Eco-Friendly plant with high usage of non-forest-based raw material Bagasse.
- Treated effluent irrigating sugarcane fields.
- MG, Yankee and three MF Paper machines manufacturing 100% Eco-friendly products to meet diverse end-uses.
- Extensive range in Quality and Substance in White, Natural Shade and a host of other colors.
- Catering to over 30 countries in Asia, Africa, Europe and USA.





Seshasayee Paper - Unit : Erode

Product Specifications (MF1, MF2)

PARTICULARS	Units	Colour Printing	Cream wove	Azure laid	Book Printing	Plain Paper High Bulk	Colour Sprint	Index	MF Base Board
COLOUR / SHADE		B/P/G/Y	White	Green	Natural Shade	White	B/P/G/Y	White	Natural Shade
Substance	gsm	47 - 80	52 - 90	60 - 90	54 - 120	70 - 90	70 - 75	65	150-170
Bulk (min)	cc/g	1.20	1.35	1.30	1.70	1.70	1.30	1.40	1.30
Breaking length MD / CD (min)	Meter	4000 / 2300	4500 / 2300	4000 / 2300	4500 / 2500	5000 / 2700	4800 / 2700	4500 / 2500	5000 / 3000
Tear Factor MD / CD (min)		45 / 50	45 / 50	45 / 50	50 / 55	50 / 55	50 / 55	50 / 55	60 / 65
Burst Factor (min)		16	16	16	20	20	20	18	22
Smoothness (Bendtsen) TS / BS (Max)	ml/min	400/250	300/200	450/250	800/600	800/600	400/220	350/250	800/500
Porosity (max)	ml/min	1000	700	800	1200	1200	500	700	1000
Cobb sizing (1min) TS/WS (max)	gsm	25-27	22-25	23-25	25	25	25	25-27	22-25
Wax pick TS/BS (min)		6/6	6/6	6/6	12/12	12/12	12/12	12/12	12/12
Brightness (min)	% ISO	--	87	--	82	87	--	88	80
Opacity (min)	% (Ptg)	87-96	93	88-90	82-92	95	90-95	94	92-95
Stiffness (MD/CD) (min)	g.cm	--	--	--	--	--	1.8/0.9	1.7/0.8	25/13
Droop Rigidity MD/ CD (min)	mm	--	--	--	--	--	105/85	105/70	—
Droop Bias (max)		--	--	--	--	--	10	10	—
Stretch	%	--	--	--	--	--	--	--	2.0/4.0





Seshasayee Paper - Unit : Erode

Product Specifications (MG & Yankee Products)

PARTICULARS	MG Bristol	MG Maplitho	MG Pulp board	Yankee Poster	MG Kraft Plain/Ribbed
COLOUR / SHADE	W/NS/B/ G/P/Y	W/NS/B/ G/P/Y	W/NS/B/ G/P/Y	W/NS/B/ G/P/Y	OT/YT/ NS/RB
Substance	100 - 240	100 - 180	180 - 240	28 - 90	40 - 80
Bulk (min)	1.25	1.50	1.40	1.60	1.60
Breaking length MD / CD (min)	4000 / 2000	4000 / 2000	4000 / 2000	4800 / 2700	4500 / 2300
Tear Factor MD / CD (min)	45 / 50	45 / 50	45 / 50	50 / 55	50 / 55
Burst Factor (min)	16	16	16	22	22
Smoothness (Bendtsen) TS / BS (Max)	450/250	--	--	--	-
Porosity (max)	600	-	-	1200	700
Cobb sizing (1min) TS/WS (max)	27-30	27-30	27-30	>40gsm = 50 <40gsm =30	30
Wax pick TS/BS (min)	10/10	--	--	--	--
Brightness (min)	W : 85 NS : 80	W : 85 NS : 80	W : 85 NS : 80	W : 87 NS : 80	NS : 36
Opacity (min)	88-96	88-96	88-96	--	--
Gloss	--	10-12	10-12	10-12	10-12





Seshasayee Paper - Unit : Erode

Product Specifications (MF3 PRODUCTS)

PARTICULARS	Unit	Super White	Grafic	Super fine	Index Plus	SPB Copier	Sprint	Sprint Plus	Chromo (Hi-Brite)
COLOUR / SHADE		White	White	Natural Shade	White	White	White	White	White
Substance	gsm	47 - 165	47 - 165	47 - 165	65	70	75	80	70-90
Caliper	micron	--	--	--	90	92	97	100	
Bulk									
- Regular		1.20	1.20	1.20	--	--	--	--	-
- High Bulk	cc/g	1.30	1.30	1.30	--	--	--	--	-
- High Smooth		1.17	1.17	1.17	--	--	--	--	-
Breaking length MD / CD (min)	Meter	4500 / 2500	4500 / 2500	4500 / 2500	5000 / 2700	5000 / 2700	5000 / 2700	5000 / 2700	-
Tear Factor MD / CD (min)		45 / 50	45 / 50	45 / 50	50 / 55	50 / 55	50 / 55	50 / 55	-
Burst Factor (min)		18	18	18	20	20	20	20	-
Smoothness (Bendtsen) TS/BS (max)	ml/min								
- Regular		360/200	360/200	360/200	500 / 300	400 / 250	300/200	300/200	50*
- High Bulk		400/250	400/250	400/250	--	--	--	--	--
- High Smooth		250/150	250/150	250/150	--	--	--	--	--
Porosity (max)	ml/min	400-500	400-500	400-500	700-800	700-800	700-800	700-800	25
Cobb sizing (1min) TS/BS	Gsm	25-27	25-27	25-27	25-27	25-27	25-27	25-27	35*
Wax pick (min) TS/BS	--	14/14	14/14	14/14	14/14	14/14	14/14	14/14	5*
Brightness (min)	% ISO	90	89	83	90	90	90	90	87*
Opacity (min)	% (Ptg)	88-98	88-98	78-93	92	94	95	96	
Stiffness (MD/CD) (min)	g.cm	--	--	--	1.6 / 0.7	1.9 / 0.9	2.2 / 1.2	2.3 / 1.2	--
Droop Rigidity MD/ CD (min)	mm	--	--	--	100 / 75	105 / 78	108 / 80	110 / 85	--
Droop Bias (max)	mm	--	--	--	10	10	10	10	--
Gloss (min)	--								40*

* Coated Side





Seshasayee Paper - Unit : Erode

Paper Machines & Products

PARTICULARS	MF 1	MG	YANKEE	MF 2	MF 3
Deckle cm	300-305	300-310	230-234	300-310	267-275
Capacity tpd	40	65	20	75	170
Configuration	Fourdrinier & Dryer cylinders	Fourdrinier, Pre dryers, MG dryer & Post Dryer Cylinders	Fourdrinier, Single MG Dryer	Fourdrinier & Dryer Cylinders	Duoformer, Trinip Press & Dryer Cylinders
Special Features	Dandy and Size Press	Size Press	Provision to make Ribbed & Low gsm Papers	Size Press	Thick Stock screening & Speed Sizer
Substance gsm	47-110	70-250	28-90	47-170	47-165
Products	Azurelaid Color Printing Creamlaid Parchment Color Sprint Creamsoft	Bristol Paper Bristol Board Manila Board MG Poster MG Maplitho MG Pulp Board MG Base Board	MG Plain/ Ribbed Poster MG Plain/ Ribbed Kraft Poster (UV -ve) Poster (Orange)	Cream wove Schoolmate NSS Maplitho/HB Book Printing Plain Paper HB Index Diary Paper	Superwhite/HB/HS Grafic/HB/HS Superfine (NS)/ HB/HS Index Plus 65 gsm SPB Copier 70 gsm Sprint 75 gsm Sprint Plus 80 gsm Success Examination Paper Chromo (Hi-Brite)



MF Products

Azure wove	80 gsm
Azurelaid	60 gsm
Azurelaid (G)	70 gsm
Book Printing (NS)	60 gsm
Color Printing (Blue)	47 gsm
Color Printing (Green)	47 gsm
Color Printing (Pink)	47 gsm
Color Printing (Yellow)	47 gsm
Creamwove (BS)	52 gsm
Creamsoft	80 gsm
Plain Paper HI-Bulk-white	90 gsm
Ledger Paper (Blue)	95 gsm

MF3 Products

Chromo Paper Hibrite 75 gsm

SPB Superwhite 60 gsm

SPB Superwhite 90 gsm

SPB Superwhite (HS) 54 gsm

SPB Superwhite (HB) 60 gsm

SPB Superfine (NS) 70 gsm

SPB Superfine (NS) (HI-Bulk) 60 gsm

SPB Grafic 70 gsm

Superwhite (Pink Shade) 57 gsm

MG Products

Bristol Paper (White)	110 gsm
Bristol Paper (NS)	160 gsm
Bristol Paper (Blue)	130 gsm
Bristol Paper (Green)	160 gsm
Bristol Paper (Pink)	130 gsm
Bristol Paper (Yellow)	134 gsm
MG Maplitho (White)	130 gsm
MG Maplitho (NS)	160 gsm
MG Maplitho (Blue)	165 gsm
MG Maplitho (Green)	165 gsm
MG Maplitho (Pink)	165 gsm
MG Maplitho (Yellow)	165 gsm
MG Poster (White)	70 gsm
MG Poster (Blue)	90 gsm
MG Poster (Green)	90 gsm
MG Poster (Pink)	90 gsm
MG Poster (Yellow)	90 gsm
MG Poster (LG)	85 gsm
Bristol Paper (Beige)	190 gsm
MG Poster (NS)	80 gsm
MG Base Board	150 gsm

Yankee Products

MG Plain Poster (White)	28 gsm
-------------------------	--------

MG Plain Poster (White)	37 gsm
-------------------------	--------

MG Ribbed Poster (White)	38 gsm
--------------------------	--------

MG Ribbed Poster (White)	40 gsm
--------------------------	--------

MG Plain Poster (NS)	60 gsm
----------------------	--------

MG Plain Poster (Blue)	40 gsm
------------------------	--------

MG Plain Poster (Green)	40 gsm
-------------------------	--------

MG Plain Poster (Pink)	40 gsm
------------------------	--------

MG Plain Poster (Yellow)	40 gsm
--------------------------	--------

Color Poster (Orange)	58 gsm
-----------------------	--------

MGR Kraft (OT)	55 gsm
----------------	--------

MGR Kraft (NS)	80 gsm
----------------	--------

MGR Kraft (YT)	38 gsm
----------------	--------

MG Plain Kraf (Reddish Brown)	70 gsm
-------------------------------	--------


SPB Branded Products

Index - Copier Paper 65gsm ●



- High stiffness, curl free and jam resistant
- Ideal for office applications like Photocopying, Laser and Inkjet printing
- Precision cut and packed
- Available in A4, A3 & Folio sizes

Index Plus - Copier Paper 65gsm ●



- High economy, High Bulk
- Ideal for photocopying businesses
- Precision cut and packed
- Available in A4, A3 & Folio sizes

65gsm ●

SPB Copier - Copier Paper 70gsm ●



- Curl free and smooth flow for high speed copying
- Ideal for Laser and Ink Jet printing besides general office purposes
- Precision cut and packed on automatic liner
- Available in A4, A3 & Folio sizes

Sprint - Multipurpose Office Paper 75gsm ●



- Curl free and jam resistant for trouble-free copying
- Suitable for laser printers, inkjet printers and Plain paper Fax machines
- Precision cut and packed
- Available in A4, A3 & Folio sizes

Sprint Plus - Multipurpose Office Paper 80gsm ●



- Higher stiffness
- Curl free and jam-resistant for trouble free copying
- Ideal for Laser and Inkjet printing besides general office purposes
- Precision cut and packed on automatic liner
- Specially crafted for the global market
- Available in A4 size


ColorSprint - Copier Paper in Pastel Colors 70/75gsm



- Available in a range of pastel shades
- High stiffness, curl free and smooth flow
- Suitable for Laser and Inkjet printing, and for presentation purposes
- Precision cut and packed on automatic liner
- Available in A4 size




Success Examination Paper - Ready to use writing paper 57gsm



- Smooth writing surface
- High brightness
- Convenient packaging
- Precision cut and packed
- Ready to use

Success Deluxe Examination Paper 54gsm ●



- Offers smooth writing surface
- High brightness, high bulk
- Convenient packing
- Available in 240, 480 sheet packing



Innovative Exercise Notebooks from Success range



Deluxe Range



- Smooth, bright pages
- Aesthetic cover designs with educational value and lot more
- Wide range of over 300 variants
- Quality binding & finishing
- Exercise books, Long books, Drawing books, Practical books, etc.

**Available
at all
Leading
outlets**

Script™ scripting success

Deluxe Notebooks from Success



- Brilliant White / Yellow fine paper
- Eco-Friendly (ECF) Paper
- High opacity paper
- Long lasting cover
- Lay flat for easy writing
- Durable, wi-ro-bound
- Smooth rounded corners



Seshasayee Paper - Unit : Tirunelveli



Supplementing the growing demand

- Member of Seshasayee Paper Group, taken over in 2011
- Amalgamated with Seshasayee Paper, Erode in April 2012 and renamed as Seshasayee Paper, Unit: Tirunelveli
- Located along a perennial river source in south Tamil Nadu, India in over 300 acres of land
- State of the art Printing and Writing Paper mill
- Modern Four drinier Paper machine with Top former, Tri-nip press and machine Control through DCS & QCS
- Capacity to manufacture 300 tpd of good quality, surface sized printing and writing paper ranging from 50 gsm to 90 gsm.
- 300 tpd Modern De-inking Plant for production of eco-friendly papers too
- 4.40 m Deckle, high speed Paper Machine with high level of Automation
- Excellent Modern Winder
- Jagenberg Synchro Sheeters
- ECH Will, Ten Pocket Cut Pack Line (in A4 and Letter size)
- Automatic Reel Wrapping Machine
- Shrink Bundling of reams
- Exporting quality papers to over 30 countries in Asia, Africa, Europe and USA apart from servicing the Domestic Market.



Seshasayee Paper - Unit : Tirunelveli



Product Specifications

PARTICULARS	UNIT	SUPER FINE NSS			SUPER FINE NSS (HB)			SILVERBRITE		COPIER	
Substance	GSM	57-64	68-75	78-120	57-64	68-75	78-120	60-75	78-120	70	75/80
Tolerance	%	± 2.5	± 2.5	± 2.5	± 2.5	± 2.5	± 2.5	± 2.5	± 2.5	± 2.0	± 2.0
Bulk (min)	cc/g	1.22	1.22	1.22	1.30	1.30	1.30	1.22	1.22	1.30	1.30
Burst Factor (min)	-	17	17	17	17	17	17	18	18	18	18
Tear Factor MD/CD (min) (Avg)	-	45/48	46/50	48/54	45/48	46/50	48/54	45/50	46/53	45/50	45/50
Breaking Length											
MD (min)	m	4100	4100	4000	4100	4100	4000	4300	4400	5000	5000
CD (min)	m	2100	2050	2000	2100	2050	2000	2200	2300	2500	2500
Smoothness (Bendtsen) (max)											
-Top side	ml/min	250	250	280	250	250	280	230	250	250	250
-Wire side	ml/min	200	200	220	220	220	240	200	200	180	180
Brightness ISO (min)	%	86	86	86	86	86	86	89	89	92	92
Printers opacity (min)	%	88	89	90	88	89	90	89	90	90	90
Wax Pick, (min)	No.	7	7	7	7	7	7	14	14	14	14
Cobb Sizing (1min) (TS/WS) (max)	GSM	19/21	20/22	20/22	19/21	20/22	20/22	23/24	23/24	23/24	23/24

Seshasayee Paper - Unit : Tirunelveli



Paper Machines & Products

Particulars	MF (Machine Finished)
Deckle, cm	420 - 425
Capacity, tpd	300
Machine Configuration	Fourdrinier with Top Former, Tri-Nip Press, Conventional Drying and Single Nip Calender. QCS with cross machine control for Basis weight and Caliper
Special Features	Film Press
Substance, gsm	57 - 120
Products	NSS Superfine Silverbrite NSS Superfine (Natural Shade) Silverbrite (Natural Shade) NSS Superfine (Classic/Pink Shade) Silverbrite (Classic/Pink Shade) Copier



Products

Supefine (NSS)	57 gsm
Supefine (NSS)	70 gsm
Supefine (NSS) (Hi-Bulk)	57 gsm
Supefine (NSS) (HB)((Pink Shade)	57 gsm
Supefine (NSS) (NS)	67 gsm
Superfine NSS - Classic	57 gsm
Silverbrite	60 gsm
Silverbrite	80 gsm
Silverbrite (NS)	70 gsm
Silverbrite - Classic	78 gsm
Copier	70 gsm